

ARCTIC ARMOR SAFETY COVERS

MEASURING AND ORDERING FORM

Date	OrderEstimate	Company Name			
	COVER COLOR Green Green Blue Green Blue Black		ANCHOR TYPE Concrete Wood Deck Lawn/Brick	COPING Is it abrasive? Y 🗖 Type:	
SOLD TO:		Γ	FILL IN POOL DIM	ENSIONS BELOW	7
Name			С	G	
Address			D		
CitySta	ate Zip		E		
Phone #	Fax #		F	J	
Email:					
PLEASE	MARK YOUR POOL TYI	PE BELOW AND FIL	L IN ALL MEASUREM	ENTS	
PROVIDE DRAWIN	IG TO SHOW STEP LOCA	TION AND DIMENSI	ONS AND ANY CUTOU	TINFORMATION	
RECTANGLE		GRECIAN C = G + E + G D = H + F + H		OVAL	
C D	HÌ	C D E	G F	C D E	
ROMAN C = G + E + G D = H + F + H		LAZY L te Left or Right "bend" froi low end - Lazy L Right sho			7
F C		C I	F	G H D	E

THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPACING UNLESS OTHERWISE SPECIFIED

All gunite & free form pools must be AB measured due to their lack of symmetry. See the following AB measuring form.

ADDITIONAL REQUIRED INFORMATION

Please submit labelled photos for pools with complex features! Cutouts may be required if objects are within 18" of pool. Please provide A-B dimensions to locate object. All non-removable obstacles.

- 1. Grabrails:
 Pt#____to Pt#____

 Distance rails are set back from pool _____
- 2. Handrails: Pt#_____to Pt#_____ Distance rails extend into pool
- 3.
 Ladders:
 Pt#_____to Pt#_____

 Ladder Cups
 (if cutout needed)
 Pt#_____to Pt#_____

 How far does ladder extend into pool?

- 4. Fillspout: Pt#_____ Dimensions & distance from pool: _____ How high if raised? _____
- 5. Dive Stand: Pt#_____to Pt#_____
- 6. Slide Legs: (within 2 ft) Pt#_____to Pt#_____ Distance legs are back from pool _____
- Dive Rocks: Pt#____to Pt#____
 Distance back from pool _____
 Give several points along rock, (left side, front side, right side)
- 8. Grab Rocks: Pt#____to Pt#____ Distance back from pool _____
- 9. Type and width of coping: _____ and _____
- 10. Planter or grass area: Pt#_____to Pt#_____
- 11. Spa:
 Pt#_____to Pt#_____

 Separate cover required Yes _____No _____

 How high is spa? ______

 Is spa wall flush with top of coping? Yes _____No _____

 Open Spillway:
 Yes ______No ______

 If yes: To locate spillway Pt#_____to Pt#_____


 Give points all around spa and points at all four corners of open spillway.

12.	Raised wall of r		
			to Pt#
		•	ning of wall, as well as
	along wall to e	nd of wall. Heig	Jht?
13.	Waterfall or Ro		
			to Pt#
			iddle, end of formatio
	Always use app	proximate 1' inte	ervals between points.
14.	Varying Deck L		. D. #
	step 1:		to Pt#
		•	ting angle of the deck
	-		Height?
	step 2:		to Pt#
	step 3:		to Pt#
15			No
	Are wood deck		
			No
		wood deck are	
	Pt#	_to Pt#	
16.	Commercial Po		
		-	
*Cc	overs over 2000 s	q. ft. must be m	nade in 3x3 sections.
Ado	ditional Requirer	nents	

Detectional an Detection d Dennel Decem

POOL TYPE		VINYL GUNITE package pool brand						OTHER						
Overall length, from poi				nt			to point			(longe:	st point	.).		
Overa	all width	۱		, fr	om poi	nt			to point			(widest	point)	,
Addit	ional cr	oss din	nensions:	Pt#		to P	t#		_, Pt#		to Pt	:# =	/	
Pt#		t	o Pt#=		·									
* The	distanc	e betw	een A an	d B is _										
Shov	v A B in	relatio	n to the p	bool (or	n sketch	า)								
* Indi	cate are	as whe	ere the de	eck is le	ss than	4' from w	aterline	e of the	e pool					
No.	А	В	No.	А	В	No.	А	В	No.	А	В	No.	А	В
1			17			33			49			65		
2			18			34			50			66		
3			19			35			51			67		
4			20			36			52			68		
5			21			37			53			69		
6			22			38			54			70		
7			23			39			55			71		
8			24			40			56			72		
9			25			41			57			73		
10			26			42			58			74		
11			27			43			59			75		
12			28			44			60			76		
13			29			45			61			77		
14			30			46			62			78		
15			31			47			63			79		
16			32			48			64			80		

PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE



A-B line or extensions of, cannot intersect pool; "A" must be left of "B"; number all points in clockwise direction

A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

- 1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pools edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
- 2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1' to 2' intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
- 3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
- 4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts. Measure these items after all pool points are finished.

